

9. (new) The transfer film of claim 8, wherein said cushion film is in contact with said base film.

10. (new) The transfer film of claim 1, further comprising:  
a cover film, said adhesion layer being between said  
conducting film layer and said cover film.

*Cont  
B+*  
11. (new) The transfer film of claim 1, wherein said base film consists essentially of polyethylene terephthalate (PET).

12. (new) The transfer film of claim 1, wherein said conducting film layer is a metal back film.

13. (new) The transfer film of claim 1, wherein said conducting film layer is composed of aluminum.

14. (new) The transfer film of claim 1, wherein said adhesion layer is in contact with said conducting film layer.

15. (new) The transfer film of claim 1, wherein said adhesion layer is adapted for adherence to an inside surface of a cathode ray tube.

16. (new) The transfer film of claim 2, further comprising:  
a cushion film formed between said base film and said heat absorption film layer, the adhesiveness of said cushion film to

said base film being stronger than the adhesiveness of said cushion film to said heat absorption film layer.

17. (new) The transfer film of claim 16, wherein said cushion film is in contact with said base film.

*Cont  
B1*

18. (new) The transfer film of claim 2, further comprising:  
a cover film, said adhesion layer being between said conducting film layer and said cover film.

19. (new) The transfer film of claim 2, wherein said heat absorption film layer, when disposed onto a cathode ray tube, absorbs heat from an aperture grille.

20. (new) The transfer film of claim 2, wherein said heat absorption film layer composed of a black color film of graphite.

21. (new) The transfer film of claim 2, wherein said base film consists essentially of polyethylene terephthalate (PET).

22. (new) The transfer film of claim 2, wherein said conducting film layer is a metal back film.

23. (new) The transfer film of claim 2, wherein said conducting film layer is composed of aluminum.

24. (new) The transfer film of claim 2, wherein said adhesion layer is in contact with said conducting film layer.

*Could  
Be*

25. (new) The transfer film of claim 2, wherein said adhesion layer is adapted for adherence to an inside surface of a cathode ray tube.

---